



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°** 0075/2095/162/09/19/2614

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** Kupfer Hermanos S.A.  
Libertad #54,8350635, SANTIAGO  
CHILE

### Description

**PPE Type :** protective glove against mechanical risks  
**Product reference :** Memphis PVC  
**Article code :** P5125  
**Glove description :** Green PVC double dipped sandy finish, cotton liner glove  
**Available sizes :** 9/L  
**Pictures :**



**GetPro**  
**Memphis** PVC  
P5125

Libertad#54,8350635 ,Santiago,Chile  
Lot:XXX  
XX/XX(Month/Year)



Talla 9/L



Hecho en China

Reference standard :

Levels of performance / class of protection

**EN 420:2003+A1:2009**

-

**EN 388:2016**

**4 1 2 1 X**

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for use index 01 dated from SEPTEMBER 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

**Issued in Lyon by**  
Didier GUISADO  
Certification and Quality Manager

**Date of first issue :** 03 September 2019  
**End of validity date :** 03 September 2024



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**Kupfer Hermanos S.A.**

**MANUFACTURER'S TECHNICAL FILE TO THE  
PPE REGULATION 2016/425**

<b>Reference of the product</b>	<b>:</b>	<b>Menphis PVC</b>
<b>Article code</b>	<b>:</b>	<b>P5125</b>
<b>Technical file index</b>	<b>:</b>	<b>01</b>
<b>Last update</b>	<b>:</b>	<b>SEPTEMBER 2019</b>

## IDENTIFICATION

Reference of the product :	:	Menphis PVC
Article code :	:	P5125
Basic Model		
Technical file index :	:	01
Last update :	:	SEPTEMBER 2019

### **Manufacturer :**

Kupfer Hermanos S.A.  
Libertad #54,8350635, SANTIAGO  
CHILE  
tel : 56 2 2351 5154  
fax :

### **Factory :**

SHANDONG XINGYU GLOVES CO.,LTD  
MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG  
PROVINCE  
CHINA  
tel: 0086-536-2587338  
fax: 0086-536-2586328

## GLOVE DESCRIPTION

### General glove description :

Green PVC double dipped sandy finish, cotton liner glove  
 type of coating finish : sandy

### Visual description (picture back and palm sides) :



### Field of use

construction industry, hardware industry

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

### Available sizes :

Minimum length of glove (mm)	Sizes
400	9/L

## **Glove constitution :**

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		green	PVC	1341.59g/m <sup>2</sup>		1.62-1.68 mm
		green	PVC	60g/m <sup>2</sup>		0.01-0.03mm
		beige	cotton	160g/m <sup>2</sup>	24gauges	
Back		green	PVC	1341.59g/m <sup>2</sup>		1.62-1.68 mm
		green	PVC	60g/m <sup>2</sup>		0.01-0.03mm
		beige	cotton	160g/m <sup>2</sup>	24gauges	
Cuff		green	PVC	1031.75g/m <sup>2</sup>		1.19-1.25mm
		beige	cotton	160g/m <sup>2</sup>	24gauges	

## **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.  
This glove is designed for against mechanical risks.  
It is a category II product.

## **GENERAL REQUIREMENTS**

### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 2

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

## **SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS**

### **Mechanical hazard EN 388 : 2016**

<b>Protection offered</b>	<b>Performance levels</b>
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

## TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S190100357_1 S190100163_1	
EN 388	S190100357_1	

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : Memphis PVC

Article Code : P5125

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

### Marking example :

**GetPro**  
**Memphis** PVC  
**P5125**

Libertad#54,8350635 ,Santiago,Chile

Lot:XXX

XX/XX(Month/Year)



Talla 9/L



Hecho en China

### Method of marking on the glove :

printed on the back

### Packaging :

12 pairs/PE bag, 72pairs/carton

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

### Declaration of conformity :

Available with product.

# MEANS OF CONTROL

According to ISO 9001, random inspect abrasion for every batch



## INSTRUCTION FOR USE

Kupfer Hermanos S.A.

Libertad #54,8350635, SANTIAGO  
CHILE

Glove reference : Memphis PVC

Article code: P5125

User notice index : 01

Last Update : SEPTEMBER 2019

Available sizes :

Libertad#54,8350635 ,Santiago,Chile

Lot:XXX

XX/XX(Month/Year)

9/L

**GetPro**  
**Memphis<sup>PVC</sup>**  
**P5125**



### **Glove description :**

Green PVC double dipped sandy finish, cotton liner glove

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (OO75)

4, rue Hermann Frenkel

69367 LYON Cedex 07

FRANCE

### **Applicable standards :**

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 2

Moreover, this glove has been designed for the following applications :

#### Application :

Mechanical hazard - EN 388 : 2016



4 1 2 1 X

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	2	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

### **Protection limit :**

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

### **Storage and cleaning notice**

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

### **PPE subject to ageing :**

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

### **Declaration of conformity :**

Available with product.