





This is to certify that: Pollyboot Cizme Sanayi ve Ticaret A.S.

Selimsahlar Mah. Burcu Sokak No:8 Sehzadeler

Manisa 45000 Turkey

Holds Certificate Number: CE 738323

In respect of:

**Safety Footwear** To EN ISO 20345:2011 & EN ISO 20347:2012 **Various Models** 

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Drs. Dave Hagenaars, Managing Director

First Issued: 2020-12-21 Latest Issue: 2021-08-09 Effective Date: 2021-08-09 Expiry Date: 2025-12-21

Page: 1 of 31



...making excellence a habit.™

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request. To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

No. CE 738323

#### **Product Specification (Continued):**

Model: Polly X-Power TPU S (Design C)

**Product description:** Class II direct injection with PU upper and PU/TPU outsole.

Size Range: 36-49

**Technical specification:** EN ISO 20347:2012 – Occupational footwear.

**Classification:** 04

**Additional Claims:** SRC (Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol)

A (Antistatic)

CI (Cold insulation of sole complex)

FO (resistance to fuel and oil)

Model: Polly X-Power TPU (Design D)

**Product description:** Class II direct injection with PU upper and PU/TPU outsole.

Size Range: 36-49

**Technical specification:** EN ISO 20347:2012 – Occupational footwear.

Classification: 04

Additional Claims: SRC (Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol)

A (Antistatic)

CI (Cold insulation of sole complex)

FO (resistance to fuel and oil)

First Issued: 2020-12-21 Effective Date: 2021-08-09
Latest Issue: 2021-08-09 Expiry Date: 2025-12-21

Page: 5 of 31

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

No. CE 738323

#### **Product Specification:**

Model: Polly X-Power TPU Pro S (Design C)

**Product description:** Class II direct injection with PU upper, PU/TPU outsole and composite toecap.

Size Range: 36-49

**Technical specification:** EN ISO 20345:2011 – Safety footwear for professional use.

**Classification:** S4

**Additional Claims:** SRC (Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol)

A (Antistatic)

CI (Cold insulation of sole complex)

FO (resistance to fuel and oil)

Model: Polly X-Power TPU Pro (Design D)

**Product description:** Class II direct injection with PU upper, PU/TPU outsole and composite toecap.

Size Range: 36-49

**Technical specification:** EN ISO 20345:2011 – Safety footwear for professional use.

Classification: S4

**Additional Claims:** SRC (Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol)

A (Antistatic)

CI (Cold insulation of sole complex)

FO (resistance to fuel and oil)

First Issued: 2020-12-21 Effective Date: 2021-08-09
Latest Issue: 2021-08-09 Expiry Date: 2025-12-21

Page: 7 of 31

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

No. CE 738323

### **Product Specification (Continued):**

Model: TPU AT-11/AK-11 (Design C)

**Product description:** Class II direct injection with PU upper and PU/TPU outsole.

Size Range: 36-49

**Technical specification:** EN ISO 20347:2012 – Occupational footwear.

**Classification:** 04

**Additional Claims:** SRC (Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol)

A (Antistatic)

CI (Cold insulation of sole complex)

FO (resistance to fuel and oil)

Model: TPU AT-11/AK-10 (Design D)

**Product description:** Class II direct injection with PU upper and PU/TPU outsole.

Size Range: 36-49

**Technical specification:** EN ISO 20347:2012 – Occupational footwear.

Classification: 04

Additional Claims: SRC (Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol)

A (Antistatic)

CI (Cold insulation of sole complex)

FO (resistance to fuel and oil)

First Issued: 2020-12-21 Effective Date: 2021-08-09
Latest Issue: 2021-08-09 Expiry Date: 2025-12-21

Page: 17 of 31

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

No. CE 738323

#### **Product Specification (Continued):**

Model: TPU CT-11/CK-11 (Design C)

**Product description:** Class II direct injection with PU upper, PU/TPU outsole and steel toecap.

Size Range: 36-49

**Technical specification:** EN ISO 20345:2011 – Safety footwear for professional use.

**Classification:** S4

**Additional Claims:** SRC (Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol)

A (Antistatic)

CI (Cold insulation of sole complex)

FO (resistance to fuel and oil)

Model: TPU CT-11/CK-10 (Design D)

**Product description:** Class II direct injection with PU upper, PU/TPU outsole and steel toecap.

Size Range: 36-49

**Technical specification:** EN ISO 20345:2011 – Safety footwear for professional use.

**Classification:** S4

**Additional Claims:** SRC (Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol)

A (Antistatic)

CI (Cold insulation of sole complex)

FO (resistance to fuel and oil)

First Issued: 2020-12-21 Effective Date: 2021-08-09
Latest Issue: 2021-08-09 Expiry Date: 2025-12-21

Page: 19 of 31

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

No. CE 738323

#### **Certificate Amendment Record:**

Technical File Reference: Pollyboot Technical Files 2020

Issue date	Comments	<b>BSI Review No.</b>
December 2020	First issue	2797:20:3314116
August 2021	Removal of 'Alfa' name from models on pages 17-20	2797:21:3479235

#### **Certificate validity**

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall process utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes. The product meets the essential health and safety requirements of the PPE Regulation.

First Issued: 2020-12-21 Effective Date: 2021-08-09 Latest Issue: 2021-08-09 Expiry Date: 2025-12-21

Page: 31 of 31

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request. To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.